



TED TODD

FINE WOOD FLOORS



GOOD DESIGN THAT LASTS

If you're looking for well-made wood floors that last, you've come to the right place. We want to inspire with great design, giving you as much choice as possible to enable you to find the perfect floor and show why wood floors, and in particular Ted Todd floors, are the best foundation for any room.

DRIVEN BY A PASSION FOR WOOD AND ITS INHERENT BEAUTY

We started small in a back garden, learning about making and reclaiming wood floors by taking wood from Victorian industrial buildings and crafting it into floors. Nearly three decades later, we're still driven by a passion for wood and its inherent beauty, we're still an independent British manufacturer and we're still loving that so many of our customers appreciate the same things in our floors that we do.

We've always set out to make great looking wood floors. Our workshops may have grown, but we still have the same ethos and believe that an investment in the best quality wood floor you can afford will be a decision you never regret.


Fashions and trends may come and go, but a wood floor from Ted Todd will last

and last, and continue to look good after 10, 20, 50 and even 100 years.

Our network of retail partners work with us because they share the same commitment to high quality hardwood floors as we do. Their fitting expertise and experience means that our floors are installed exactly the way they should be, and customers get all the help and advice they need.

We offer the same help and support to contractors, designers and architects through our in-house Studio Ted Todd team.

If you're looking for great looking, well-made floors that will last, and the support to make them a reality, we're looking forward to talking to you.





BEYOND COMPARISON

WHY CHOOSE TED TODD

As an innovative and independent British manufacturer, our passion and unrivalled expertise have been inspiring homeowners, interior designers and architects alike since 1993.

Using the highest quality wood sourced from sustainable forests, Ted Todd connect innovation and great design with nature to redefine natural flooring.

We have been creating healthy living environments for three decades to make sure that you always feel good when you choose Ted Todd.

NO SUBSTITUTE FOR THE REAL THING

First and foremost, our floors are made by Mother Nature (with a few finishing touches from us) to give you peace of mind. They don't contain any plastic, are SVOC and VOC free, and because they are completely reusable and fully recyclable, they won't contribute to landfill.

SUSTAINABLE WOOD – NO EXCEPTIONS!

All our floors are made from sustainably sourced wood, whether it's FSC™-certified wood grown in well managed forests, reclaimed wood that is being re-used and repurposed or antique wood that's been around for hundreds of years. When it comes to eco-friendly flooring, there's no better choice.

NO NEED TO TIPTOE

Because our wood floors are made from the best quality wood, they are hardwearing and resistant to scuffs and scratches.

EASY TO CARE FOR

They are easy to use, with options for everyday and deep cleans. Always use the right tools for the job – we developed care kits specifically designed to suit all our floors.

SUITABLE FOR USE WITH UNDERFLOOR HEATING

All our engineered floors are compatible with underfloor heating systems up to 27°C. We've even developed an underfloor monitor and app that tells you the temperature of your floor, so you can always make sure your rooms stay comfortable and warm, and your floors at the right temperature.



CONSIDERING EVERY DETAIL

You'll likely order a number of wood floor samples before you make your final choice. As well as tone, make sure you take the following factors into consideration to get the right floor for your space and the best value for your money:

GRADE

There are four grades of wood: prime, select, nature and rustic. Make sure you compare like-for-like in order to get the best value floor. There are significant difference between grades which could ultimately affect the look of your project.

Prime Grade

Clean, uniform appearance with minimal knots, sap and colour variation



Select Grade

Few natural characteristics present, with some knots and minor colour variation



Nature Grade

Range of natural characteristics such as knots, burrs, sap and tonal variation




Rustic Grade

Broad range of natural characteristics, such as larger knots and more colour variation




WEAR LAYER

The wear layer is a great indicator of quality in engineered boards, as this is what makes a floor long lasting. It is the section of the board that sits above the tongue and groove, and the thicker the wear layer the more times you can re-sand it over the years. All of our engineered floors have wear layers of at least 3mm, up to 6mm.




DEPTH

We offer floors with a minimum 8mm up to 25mm thickness. 20mm thick floors deliver a great quality option that out-perform even traditional solid wood floors. Make sure you check thicknesses when choosing your floor to make sure you compare like-for-like options.



FINISH

All pre-finished Ted Todd floors are fully finished, saving you time and money when it comes to installation. Beware of the hidden costs associated with other wood floor manufacturers whose products require additional on-site finishing.



SUSTAINABLY SOURCED WOOD

Always check whether the floor you are purchasing is FSC™-certified or equivalent. Most companies charge extra for this certification, but we include it as standard because we believe it's the right thing to do.

HELPING YOU FEEL GOOD IN YOUR HOME

IT'S WHAT'S INSIDE THAT COUNTS

We know that well made floors using high quality, environmentally friendly timber are some of the best flooring choices around.

A lot of claims are made justifying the use of single-use man-made options, but the reality is that wood floors like ours are much healthier for indoor environments than these plastic based alternatives. That's because unlike man-made options, Ted Todd wood floors are VOC and SVOC free.

DOING THE RIGHT THING

Just because a floor is made from wood, doesn't mean it's environmentally friendly or sustainably sourced. At Ted Todd, we don't do business with suppliers who can't prove the origin of their timber.

All of our wood is sustainably sourced, and the vast majority of it is FSC™ or PEFC certified. We've been FSC™ compliant since 1997, long before it was seen as a mainstream issue. This ensures that all wood used in our floors is from responsible and sustainably managed forests.


FLOORS THAT STAND THE TEST OF TIME

More and more customers are realising the importance of buying well and buying to last. It's worth investing in wood floors that age well, develop wonderful patinas and get better looking over time.

RE-USE AND RECLAIM

While we don't want our floors to be replaced, you can rest assured that they are fully recyclable if necessary, unlike man-made options where only the offcuts can be recycled. We also make floors from reclaimed and antique timber as part of our Woodworks by Ted Todd offering.

CONTENTS



CRAFTED TEXTURES

ANTIQUUE FEEL CHARACTER

Each floor in our Crafted Textures collection has been worked by hand, with distressed tumbled edges and hand-planed, textured surfaces that give a raw, organic feel.

These are floors that work just as well in country and restoration spaces as they do in contemporary, city spaces. They are versatile enough that they can be a standout focal point of a room or can subtly stand back and give the impression that they've been there for a century.

Most options are available in both plank and herringbone, and the 15mm options can even be used as wall cladding.





SWINLEY
Beauty and
craft combined

COOMBE



Coombe is an understated, elegant nature grade European Oak that effortlessly uplifts any interior space. Shadow sawn and hardwax oiled, it's a durable, easy-to-maintain floor with beautifully light tones and a subtle winding grain.





DITTO



ATTINGHAM




This dark, rustic floor with deep textures perfectly embodies the authentic character of timeworn floors.



WARESLEY



Waresley's mid-brown tones are hazed with a subtle smoky tone, each plank coastal weathered and heavily brushed for a naturally aged bleached appearance.



Waresley




CRAFTED TEXTURES




COOMBE
European Nature Grade Oak Plank
Shadow Sawn & Hardwax Oiled
W:220mm | D:20mm | L:up to 2.4m



HOLTON
European Nature Grade Oak Plank
Shadow Sawn & Hardwax Oiled
W:220mm | D:20mm | L:up to 2.4m



SWINLEY
European Nature Oak Plank
Hardwax Oiled
W:220mm | D:20mm | L:up to 2.2m



SWINLEY
European Nature Oak Herringbone
Hardwax Oiled
W:90mm | D:20mm | L:360mm




AMBERLEY
European Nature Grade Oak Plank
Shadow Sawn & Satin Lacquered
W:150mm | D:15mm | L:up to 2.2m



CARRICK
European Nature Grade Oak Plank
Shadow Sawn & Hardwax Oiled
W:220mm | D:20mm | L:up to 2.4m



WARESLEY
European Nature Grade Oak Plank
Coastal Weathered & Hardwax Oiled
W:220mm | D:20mm | L:up to 2.4m




RYDAL
European Rustic Grade Oak Herringbone
Sawn Texture with Sap, Large Knots &
Hardwax Oiled
W:100mm | D:20mm | L:500mm



STANDEN
European Rustic Grade Oak Plank
Sawn, Burnt, Brushed & Hardened Oiled
W:190mm | D:20mm | L:up to 1.90m



STANDEN
European Rustic Grade Oak Herringbone
Sawn, Burnt, Brushed & Hardened Oiled
W:90mm | D:20mm | L:540mm



NETLEY
European Nature Oak Plank
Hardwax Oiled
W:220mm | D:20mm | L:up to 2.2m




NETLEY
European Nature Oak Herringbone
Hardwax Oiled
W:90mm | D:20mm | L:360mm



ARUNDEL
European Rustic Grade Oak Plank
Sawn, Burnt, Brushed & Hardened Oiled
W:190mm | D:20mm | L:up to 1.90m



ARUNDEL
European Rustic Grade Oak Herringbone
Sawn, Burnt, Brushed & Hardened Oiled
W:90mm | D:20mm | L:540mm



ATTINGHAM
European Nature Oak Plank
Hardwax Oiled
W:220mm | D:20mm | L:up to 2.2m



ATTINGHAM
European Nature Oak Herringbone
Hardwax Oiled
W:90mm | D:20mm | L:360mm



STONOR
European Nature Grade Oak Plank
Shadow Sawn & Satin Lacquered
W:150mm | D:15mm | L:up to 2.2m



WISTON
European Nature Grade Oak Plank
Shadow Sawn & Hardwax Oiled
W:220mm | D:20mm | L:up to 2.4m



SALCEY
European Nature Grade Oak Plank
Coastal Weathered & Hardwax Oiled
W:220mm | D:20mm | L:up to 2.4m



HALDON
American Nature Grade Walnut Plank
Coastal Weathered & Restoration Oiled
W:190mm | D:15mm | L:up to 2.1m




CONSTRUCTION

All of the floors within the Crafted Textures collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood’s natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm.

2 PLY 15MM


3mm/4mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 10kg/m²



All 15mm options can be used as wall cladding.

2 PLY 20MM

4mm/6mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 14kg/m²



Arundel

CREATE®

CAREFULLY DESIGNED

For floors that tick every box. Each component in this collection has been carefully designed to work seamlessly together, allowing you to mix colours and formats to create® precision designs and unique patterns.

Choose from ten tones in planks, herringbone and chevron blocks and squares, all 15mm engineered in 100% PEFC certified Oak for superior stability. All wood in this collection is also suitable for use on walls.





CASHMERE



One of the lightest floors in the collection with a slightly cool tone, Cashmere is a bestseller. Choose from wide planks as well as herringbone blocks, chevron and squares.

SMOKE
Carefully designed
for precision patterns
and designs





FAWN



A dark brown floor with a slightly cool tone, lightly brushed to reveal the natural grain detail of the oak.



CREATE®



CASHMERE
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



CASHMERE
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm



CASHMERE
European Nature Grade Oak Chevron
Brushed & Hardened Oiled
W:90mm | D:15mm | L:480mm



CASHMERE
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



PAPERBACK
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



PAPERBACK
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm



PAPERBACK
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



SANDBANK
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m




SANDBANK
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm




SANDBANK
European Nature Grade Oak Chevron
Brushed & Hardened Oiled
W:90mm | D:15mm | L:480mm



SANDBANK
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



JUTE
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m




JUTE
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm



JUTE
European Nature Grade Oak Chevron
Brushed & Hardened Oiled
W:90mm | D:15mm | L:480mm



JUTE
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



SATCHEL
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



SATCHEL
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm



SATCHEL
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm




CREATE®



CORTADO
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



CORTADO
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm




CORTADO
European Nature Grade Oak Chevron
Brushed & Hardened Oiled
W:90mm | D:15mm | L:480mm



CORTADO
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



SMOKE
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



SMOKE
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm



SMOKE
European Nature Grade Oak Chevron
Brushed & Hardened Oiled
W:90mm | D:15mm | L:480mm



SMOKE
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



STONEWASH
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



STONEWASH
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm



STONEWASH
European Nature Grade Oak Chevron
Brushed & Hardened Oiled
W:90mm | D:15mm | L:480mm




STONEWASH
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



FAWN
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



FAWN
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm



FAWN
European Nature Grade Oak Chevron
Brushed & Hardened Oiled
W:90mm | D:15mm | L:480mm



FAWN
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm



LIQUORICE
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:180mm | D:15mm | L:up to 2.2m



LIQUORICE
European Nature Grade Oak Herringbone
Brushed & Hardened Oiled
W:127mm | D:15mm | L:508mm




LIQUORICE
European Nature Grade Oak Square
Brushed & Hardened Oiled
W:127mm | D:15mm | L:127mm

CONSTRUCTION

All of the floors within the Create® collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

3 PLY 15MM

3mm hardwood wear layer
Cross bonded to 2 layers of oak.
Weight: 11kg/m²



All 15mm options can be used as wall cladding.



Cashmere



Stonewash



Stonewash



Stonewash

SPECIALIST WOODS

EXOTIC AND SPECIALIST SPECIES

For standout projects, these floors celebrate the beautiful natural characteristics of these unusual woods.

Choose from Siberian Larch, Douglas Fir, American Black Walnut, the delicate burr features of Pippy Burr Oak, Tajibo, Tropical Walnut and Morado.







DARWIN
Perfect for standout
projects that require
durability

SPECIALIST WOODS




OSTER
Siberian Larch Plank
Smooth & Unfinished
W:190mm | D:20mm | L:up to 1.90m



DELAMERE
Douglas Fir Plank
Smooth & Unfinished
W:220-300mm | D:20mm | L:up to 3m



WINTERFOLD
European Nature Grade Pippy Burr Oak Plank
Smooth & Unfinished
W:190mm | D:15mm | L:up to 1.90m



MIMAS
American Nature Grade Walnut Herringbone
Smooth & Unfinished
W:70mm | D:15mm | L:490mm



BLACKMUIR
American Nature Grade Walnut Plank
Smooth & Unfinished
W:190/220mm | D:20mm | L:up to 1.83m



ROCKINGHAM
American Prime Grade Walnut Plank
Smooth & Unfinished
W:190/220mm | D:20mm | L:up to 1.83m



RIVINGTON
American Nature Grade Walnut Plank
Smooth & Hardwax Oiled
W:190/220mm | D:20mm | L:up to 1.83m




INGLETON
American Prime Grade Walnut Plank
Smooth & Hardwax Oiled
W:190/220mm | D:20mm | L:up to 1.83m



BIRNHAM
Tajibo Plank
Smooth & Satin Lacquered
W:135mm | D:19mm | L:up to 1.4m



BIRNHAM
Tajibo Herringbone
Smooth & Satin Lacquered
W:80mm | D:19mm | L:450mm



DARWIN
Morado Plank
Smooth & Satin Lacquered
W:135mm | D:19mm | L:up to 1.4m



DARWIN
Morado Herringbone
Smooth & Satin Lacquered
W:80mm | D:19mm | L:450mm



CONSTRUCTION

All of the floors within the Specialist Woods collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 15MM


3mm/4mm hardwood wear layer
Bonded to 100% Birch/Eucalyptus plywood.
Weight: 10kg/m²



All 15mm options can be used as wall cladding.

2 PLY 20MM

4mm/6mm hardwood wear layer
Bonded to 100% Birch/Eucalyptus plywood.
Weight: 14kg/m²



WAREHOUSE

MOVEMENT AND UNDULATING TEXTURE

This collection is all about texture. You only have to run your hand over the surface of a Warehouse floor to appreciate the beauty of the undulations. We brush the wood to subtly highlight the grain detail, ensuring every floor in this collection is modern and brilliantly practical. Available in a range of designs, including planks, chevron and our best selling herringbone, these floors are also available in 20mm options.





FLEECE

Knots, burrs and lively grain patterns: natural characteristics that only real wood can bring

FURROW



Light and warm with hints of grey, this has to be one of our most welcoming, versatile floors.





RAW COTTON
Not just for floors -
surround yourself
with wood

HUSK



Husk flies the flag for originality. With a mid-brown tone, dark grain details, characterful knots and an undulating surface, Husk works beautifully in both traditional and contemporary settings.






SUGAR CANE























Sugar Cane brings the perfect slice of undulating natural oak to any interior. Choose from four variations including wide and extra wide planks as well as herringbone blocks and chevron.

STRAND

These natural toned,
characterful planks are
defined by texture,
shape and movement



WAREHOUSE

			
FLEECE European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:190/220mm D:15/20mm L:up to 2.2m	FLEECE European Nature Grade Oak Herringbone Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:450mm	FLEECE European Nature Grade Oak Chevron Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:540mm	FLINT European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:190mm D:15mm L:up to 1.90m
			
RAW COTTON European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:190/220mm D:15/20mm L:up to 2.2m	RAW COTTON European Nature Grade Oak Herringbone Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:450mm	RAW COTTON European Nature Grade Oak Chevron Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:540mm	FLINT European Nature Grade Oak Herringbone Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:450mm
			
SUGAR CANE European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:190/220mm D:15/20mm L:up to 2.2m	SUGAR CANE European Nature Grade Oak Herringbone Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:450mm	SUGAR CANE European Nature Grade Oak Chevron Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:540mm	FLAX European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:220mm D:20mm L:up to 2.2m
			
FURROW European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:190/220mm D:15/20mm L:up to 2.2m	FURROW European Nature Grade Oak Herringbone Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:450mm	FURROW European Nature Grade Oak Chevron Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:540mm	STRAND European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:190mm D:15mm L:up to 1.90m
			
HUSK European Nature Grade Oak Plank Brushed, Undulating & Hardened Oiled W:190/220mm D:15/20mm L:up to 2.2m	HUSK European Nature Grade Oak Herringbone Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:450mm	HUSK European Nature Grade Oak Chevron Brushed, Undulating & Hardened Oiled W:90mm D:15mm L:540mm	MALTING European Nature Grade Oak Plank Brushed, Undulating & Hardened Lacquered W:190mm D:15mm L:up to 1.90m




CONSTRUCTION

All of the floors within the Warehouse collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood’s natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 15MM

Herringbone & Chevron

3mm/4mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 10kg/m²




All 15mm options can be used as wall cladding.

2 PLY 20MM

220mm Plank


4mm/6mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 14kg/m²



3 LAYER 15MM

190mm Plank

4mm hardwood wear layer
Bonded to a block board core.
Weight: 7.5kg/m²



All 15mm options can be used as wall cladding.

STRADA

HARD WEARING FLOORS

Delivering exceptionally hardwearing floors for high-traffic areas, all Strada floors have a twelve coat finish and 7,000 Taber Resistance for uncompromising durability. Choose from 20mm European Oak planks or herringbone blocks, all engineered and FSC™-certified.





SANTI

Strada is the pinnacle
of hard wearing floors -
perfect for demanding
environments





BERNINI




No matter the size of the residential property - whether student accommodation or an aparthotel - Strada is the perfect choice.



STRADA




BERNINI
European Nature Grade Oak Plank
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



BERNINI
European Nature Grade Oak Herringbone
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm



ALESSI
European Nature Grade Oak Plank
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



ALESSI
European Nature Grade Oak Herringbone
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm



LUCIA
European Nature Grade Oak Plank
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



LUCIA
European Nature Grade Oak Herringbone
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm




SANTI
European Nature Grade Oak Plank
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



SANTI
European Nature Grade Oak Herringbone
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm



TORELLI
European Nature Grade Oak Plank
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



TORELLI
European Nature Grade Oak Herringbone
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm



RASTRELLI
European Nature Grade Oak Plank
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



RASTRELLI
European Nature Grade Oak Herringbone
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm




CONSTRUCTION

All of the floors within the Strada collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 20MM

180mm Plank
4mm/6mm hardwood wear layer
bonded to 100% Birch plywood.
Weight: 14kg/m²



Bernini

PROJECT

WOOD FLOOR ESSENTIALS

The perfect introduction to Ted Todd, these are engineered wood floor staples with a premium feel. Choose between wide planks, extra wide planks and herringbone blocks in high-spec nature grade and new character grade. Not just limited to surfaces underfoot, all wood in this collection is also suitable for use on walls.



CALICO



This ever-popular light, warm oak is available in wide and extra wide planks as well as herringbone blocks.





PETWORTH
A natural oak
tone available in
wide planks and
herringbone





CREECH
Lightly brushed to
reveal the natural
grain detail of the oak























OLLERTON



New to the Project Collection, Ollerton has a soft black tone with contrasting silvery grain detail and is available in wide 190mm planks or herringbone blocks.



PROJECT

			
CALICO European Nature Grade Oak Plank Brushed & Hardened Oiled W:190/260mm D:14/15mm L:up to 2.2m	CALICO European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:90mm D:14mm L:450mm	KINSLEY European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m	PORCELAIN European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m
			
CREECH European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m	ALABASTER European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m	PETWORTH European Nature Grade Oak Plank Brushed & Hardened Oiled W:190/260mm D:14/15mm L:up to 2.2m	PETWORTH European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:90mm D:14mm L:450mm
			
ALMOND European Nature Grade Oak Plank Brushed & Hardened Oiled W:190/260mm D:14/15mm L:up to 2.2m	ALMOND European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:90mm D:14mm L:450mm	TATTENHALL European Nature Grade Oak Plank Brushed & Hardened Oiled W:190/260mm D:14/15mm L:up to 2.2m	TATTENHALL European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:90mm D:14mm L:450mm
			
KENNET European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m	CARAMEL European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m	CARAMEL European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:90mm D:14mm L:450mm	BOURNE European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m
			
OLLERTON European Nature Grade Oak Plank Brushed & Hardened Oiled W:190mm D:14mm L:up to 1.86m	OLLERTON European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:90mm D:14mm L:450mm		




CONSTRUCTION

All of the floors within the Project collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 14/15MM


Planks
3mm/4mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 10kg/m²



All 15mm options can be used as wall cladding.

3 LAYER 15MM

Herringbone
4mm hardwood wear layer
Bonded to a block board core.
Weight: 7.5kg/m²



All 15mm options can be used as wall cladding.



Calico

CLASSIC NATURALS

LONG LIFE FLOORS

A collection of long life floors in organic tones, characterised by one thing: unbeatable quality. With a choice between plank and herringbone blocks, all wood in this collection is FSC™-certified engineered European oak.





SELBORNE
The ultimate
organic tone



WENTWORTH



Wentworth is a natural toned floor that is guaranteed to age well, gaining a rich patina over time.





HUXLEY
Super wide,
super long planks



CLASSIC NATURALS



PELHAM
European Nature Grade Oak Plank
Brushed & Matt Lacquered
W:140mm | D:15mm | L:up to 2.2m



ADDINGTON
European Nature Grade Oak Plank
Smooth & Matt Lacquered
W:140mm | D:15mm | L:up to 2.2m



HUXLEY
European Nature Grade Oak Plank
Heavy Brushed & Restoration Oiled
W:300mm | D:20mm | L:up to 3m



GOSFORD
European Nature Grade Oak Plank
Smooth & Hardened Oiled
W:180mm | D:20mm | L:up to 2.2m




SELBORNE
European Prime Grade Oak Plank
Light Brushed & Super Matt Lacquered
W:180/220mm | D:20mm | L:up to 2.4m



TWINHILLS
European Nature Grade Oak Plank
Smooth & Satin Lacquered
W:160-220mm | D:20mm | L:up to 2.2m



PECKFORTON
European Nature Grade Oak Plank
Brushed & Hardened Oiled
W:140-220mm | D:15/20mm | L:up to 2.2m



WENTWORTH
European Nature Grade Oak Plank
Brushed & Oxidated Oiled
W:140/180mm | D:15/12mm | L:up to 2.2m



BRAMPTON
European Nature Grade Oak Plank
Smooth & Hardened Oiled
W:100-220mm | D:15/20mm | L:up to 2.2m



BRAMPTON
European Nature Grade Oak Herringbone
Smooth & Hardened Oiled
W:100mm | D:20mm | L:500mm



GLENARIFF
European Nature Grade Oak Herringbone
Brushed & Restoration Oiled
W:70mm | D:10mm | L:490mm



ROSTREVOR
European Nature Grade Oak Herringbone
Smooth & Matt Lacquered
W:70mm | D:10mm | L:490mm




CONSTRUCTION

All of the floors within the Classic Naturals collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood’s natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 10/15MM


3mm/4mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 10kg/m²



All 15mm options can be used as wall cladding.

2 PLY 20MM

4mm/6mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 14kg/m²



Rostrevor

CLASSIC TONES

LONG LASTING FLOORS

Looking for long lasting, traditionally sawn FSC™-certified European oak in a specific tone? Our Classic Tones collection offers a choice of 28 colours in a wide range of finishes. Choose from engineered planks and herringbone blocks including three new 10mm herringbone options, all carefully designed to offer you maximum choice for your projects.





HOLLINGTON

A classic floor is one that brings together traditionally sawn, long-lasting, great looking wood




KINVER EDGE



Kinver Edge is a classic sandy coloured floor that combines traditionally sawn, long-lasting, great looking wood. We've used 20mm thick select grade oak, with minimal knots and minor colour variation.



























MADINGLEY












A deep brown classic floor that combines traditionally sawn, long-lasting, great looking European oak

CLASSIC TONES

			
PRIESTLY European Nature Grade Oak Plank Brushed & Hardened Oiled W:180mm D:20mm L:up to 2.2m	WHINFELL European Nature Grade Oak Plank Raw, Smooth & Hardened Oiled W:180/220mm D:20mm L:up to 2.2m	HOLLINGTON European Nature Grade Oak Plank Brushed & Satin Lacquered W:180/220mm D:20mm L:up to 2.2m	GLADSTONE European Nature Grade Oak Plank Brushed & Matt Lacquered W:140/180mm D:15/12mm L:up to 2.2m
			
HORSFORD European Nature Grade Oak Plank Brushed & Hardened Oiled W:180mm D:20mm L:up to 2.2m	WYNDHAM European Nature Grade Oak Plank Brushed & Hardened Oiled W:140mm D:15mm L:up to 2.2m	WHITE LEAF European Nature Grade Oak Plank Brushed & Hardened Oiled W:180mm D:20mm L:up to 2.2m	KINVER EDGE European Select Grade Oak Plank Smooth & Hardened Oiled W:180/220mm D:20mm L:up to 2.2m
			
KIELDER European Nature Grade Oak Plank Brushed & Hardened Oiled W:180/220mm D:20mm L:up to 2.2m	KIELDER European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:100mm D:20mm L:500mm	ANNESLEY European Nature Grade Oak Herringbone Smooth & Restoration Oiled W:70mm D:10mm L:490mm	PARKHURST European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:100mm D:20mm L:500mm
			
PAXTON European Nature Grade Oak Plank Fumed, Smooth & Satin Lacquered W:220mm D:20mm L:up to 2.2m	WETTENHALL European Nature Grade Oak Plank Fumed, Smooth & Restoration Oiled W:220mm D:20mm L:up to 2.2m	SHERWOOD European Nature Grade Oak Plank Brushed & Hardened Oiled W:100-220mm D:15/20mm L:up to 2.2m	SHERWOOD European Nature Grade Oak Herringbone Brushed & Hardened Oiled W:100mm D:20mm L:500mm
			
ASHFIELD European Nature Grade Oak Herringbone Smooth & Restoration Oiled W:70mm D:10mm L:490mm	MONKTON European Nature Grade Oak Plank Brushed & Matt Lacquered W:220mm D:20mm L:up to 2.2m	FLEET European Nature Grade Oak Plank Brushed & Pearl Lacquered W:80mm D:20mm L:up to 2.2m	DALBY European Nature Grade Oak Plank Brushed & Pearl Lacquered W:180/220mm D:12/20mm L:up to 2.2m



CLASSIC TONES


			
ALLEXTTON European Nature Grade Oak Plank Brushed & Satin Lacquered W:180/220mm D:20mm L:up to 2.2m	CANNOCK CHASE European Nature Grade Oak Plank Fumed, Smooth & Hardened Oiled W:220mm D:20mm L:up to 2.2m	THETFORD European Nature Grade Oak Plank Brushed & Satin Lacquered W:180mm D:20mm L:up to 2.2m	CAVENDISH European Nature Grade Oak Plank Brushed & Matt Lacquered W:140/180mm D:15/12mm L:up to 2.2m
			
WYRE European Nature Grade Oak Plank Brushed & Satin Lacquered W:180mm D:20mm L:up to 2.2m	BEXLEY European Nature Grade Oak Herringbone Smooth & Restoration Oiled W:70mm D:10mm L:490mm	MADINGLEY European Nature Grade Oak Plank Double Fumed, Brushed & Hardened Oiled W:180/220mm D:20mm L:up to 2.2m	WELLESLEY European Nature Grade Oak Plank Brushed & Hardened Oiled W:140mm D:15mm L:up to 2.2m
			
BEDGEBURY European Nature Grade Oak Plank Double Fumed, Dark Stained, Brushed & Hardened Oiled W:180/220mm D:20mm L:up to 2.2m	CASTLEWELLAN European Nature Grade Oak Herringbone Double Fumed, Smooth & Restoration Oiled W:70mm D:10mm L:490mm	CHARNWOOD European Nature Grade Oak Plank Smooth & Satin Lacquered W:220mm D:20mm L:up to 2.2m	

CONSTRUCTION

All of the floors within the Classic Tones collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 10/12/15MM


3mm/4mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 10kg/m²



All 15mm options can be used as wall cladding.

2 PLY 19/20/22MM

4mm/6mm hardwood wear layer
Bonded to 100% Birch plywood.
Weight: 14kg/m²



Parkhurst



Parkhurst



Parkhurst

ARCHITECTURAL DETAILS

For the perfect finishing touch we recommend using our fully comprehensive range of profiles and stair treads which have been designed to accompany the floors within this brochure, all of which are available as standard tones or hand finished to complement your floor and stairs.

For more information visit: tedtodd.co.uk/advice





Rhine



Hillstar



Furrow



Carrick



Petworth



Furrow

VISIT US ACROSS THE UK

VISIT ONE OF OUR RETAIL PARTNERS

We work with partners throughout the country who can supply and fit your floor.

Many of our partners have full Ted Todd showrooms, which means you can see many of our collections on display.

Our showroom partners can also give you expert advice on which Ted Todd floor is perfect for you.

To find your nearest partner, visit:
tedtodd.co.uk

VISIT OUR TED TODD DESIGN CENTRE

Browse our floors on a large scale at our Design Centres:

Our Cheshire Design Centre
18 Chesford Grange, Woolston,
Warrington, Cheshire, WA1 4RQ
01925 283 000
Open 6 days a week

Our London Design Centre
79 Margaret Street,
Fitzrovia, London, W1W 8TA
020 7495 6706
Open 6 days a week





COLLECTION	CERTIFICATION				
	 A global organisation that guarantees that felled timber is sustainably sourced	 A global organisation that guarantees that felled timber is sustainably sourced	UKTR UK regulations that confirm timber is legally harvested	 All of our floors are free from semi-volatile organic compounds	 All of our floors have very low levels of volatile organic compounds
CRAFTED TEXTURES	✓		✓	✓	✓
CREATE®		✓	✓	✓	✓
SPECIALIST WOODS	✓		✓	✓	✓
WAREHOUSE	✓		✓	✓	✓
STRADA	✓		✓	✓	✓
PROJECT	✓		✓	✓	✓
CLASSIC NATURALS	✓		✓	✓	✓
CLASSIC TONES	✓		✓	✓	✓

IMAGE CREDITS

Cover, pages 6, 58, 59, 133
Furrow - Private residence
Images courtesy of Belmont Homes

Pages 20, 21, 132
Carrick - Hotel Endsleigh
Image courtesy of Hotel Endsleigh

Pages 12, 33, 34, 35, 44
Cashmere - Beechwood
Image courtesy of Goulden & Sons

Pages 40, 41, 45
Stonewash - Linden House
Image courtesy of Amazing Telly and Steven Bailey

Pages 50, 53
Darwin - London office
Images courtesy of The Office Group

Pages 12, 47, 48, 49
Mimas - Private residence
Images courtesy of The Secret Drawer

Pages 12, 55
Furrow - Private residence
Images courtesy of Blagden Properties

Pages 62, 63
Husk - Private residence
Images courtesy of Bethell Projects

Pages 76, 77
Bernini - Youthscape
Images courtesy of Youthscape

Pages 84, 85
Calico - West Kensington apartments
Images courtesy of Nina Ullrich and Jamie Nessim

Pages 88, 89, 133
Petworth - Private residence
Images courtesy of Belmont Homes

